EN

AUTHENTICS

Collection



TRUST IN EVERY STEP

TRUST IN EVERY STEP

Coretec®

Trust in every step

Choosing the right floor can be overwhelming. Some people prioritize aesthetics, some go for quality and others opt for ease of use. Instead of compromising, we've combined the best of all worlds in one floor: Coretec®. Aesthetically refined, but also exceptionally durable. Comfortable to walk on, yet also waterproof and wear resistant. Easy to install and maintain.

That's trust in every step.



Warm feeling thanks to our cork backing

All our floors have a unique attached cork underlayment. Why? It's warmer, quieter and easily installs over existing hard surfaces, perfectly concealing imperfections in subfloors.

And: it's one of the most sustainable materials out there. Cork is harvested from the cork tree and can be re-harvested every decade without damaging the tree.

Easy to maintain

Cleaning our floors is child's play. Thanks to our high performance wear layers, Coretec® floors are easy to clean and easy to maintain.

Spilled something? No worries, you can easily clean it up, using your floor cleaner or our recommended Coretec® cleaning products.



Time saving solution

Coretec® is easy to install, to care for and to live with. Its secure angle tap system doesn't require any glue or nails and can be installed over existing floors without additional underlayment.

Forget about sanding, polishing, sealing or refinishing: our floors are maintenance-free.



100% waterproof floors

Our floors are 100% waterproof, kid proof & pet proof. Try them in your kitchen or bathroom: they won't warp or buckle, even if submerged in water.

Our 100% waterproof core, resilient vinyl and protective wear layer will keep your floor looking good for the life of your home. So naturally, all Coretec® floors come with a lifetime residential warranty.



Sound Core® 8 mm

Silent & strong, down to the core

At Coretec®, we're proud to offer the most complete collection of 100% waterproof floors, so you can express what makes you, you.



- 100% waterproof
- Extremely stable
- No acclimatisation necessary
- Easy to install
- Installation on any surface
- Reduces noise
- Wear resistant
- Pet proof
- Electrostatic performance
- Ideal for underfloor heating & cooling

Authentic just like nature

AUTHENTICS
Collection

A collection that combines exceptional natural appearance with unrivalled three-dimensional texture, that's Authentics. Lifelike wood and stone designs for rustic, characterful interiors.

Coretec®

AUTHENTICS
Collection



	1800 series		1500 series	1200 series
	8 mm		8 mm	8 mm
	0,55 mm		0,55 mm	0,55 mm
	6 pcs 2,5084 m² ± 20 kg	8 pcs 2,6499 m² ± 23 kg	10 pcs 2,7511 m² ± 23 kg	12 pcs 2,6513 m² ± 23 kg



Has pressed bevels on the long sides



Has bevels on the long sides



	Herringbone series	Tile series	
	8 mm	8 mm	
	0,55 mm	0,55 mm	
	32 pcs 2,3224 m² ± 19 kg	6 pcs 2,5855 m² ± 23 kg	



Has bevels on the long & short sides



The embossing follows the structure of the wood for a real-life touch

Pick your colour

AUTHENTICS *Collection*



QUÉBEC VV668 10134 368



YUKON VV668 04354 368



EMERALD VV670 10110 368



NIMBUS VV669 10140 368
NIMBUS HB VV779 0H140 368



ALTO VV669 10141 368
ALTO HB VV779 0H141 368



MORAINE VV670 10113 368



ONTARIO VV670 10111 368



EDMONTON VV668 10133 368



KINGSTON VV668 10136 368



RICHMOND VV668 04357 368
RICHMOND HB VV779 H4357 368



ALBERTA UU004 04851 368



LAWRENCE UU005 05087 368



CALGARY VV668 10132 368



REGINA VV669 10139 368
REGINA HB VV779 0H139 368



WHISTLER UU005 04985 368



HALIFAX VV669 10138 368



CHAMPLAIN VV670 10115 368



SYDNEY UU004 04882 368



MANITOBA VV667 10123 368



HAMILTON VV668 10135 368



BRETON UU004 04887 368



NUELTIN VV667 10122 368



CYCLONE VV671 10150 368



CUMULUS VV671 10153 368



CLOUD VV671 10151 368



CLEMENT VV671 10154 368

Coretec®



1800
series

1830 × 181 × 8 mm
1830 × 228 × 8 mm



1800 4V E series

Emerald

VV670 10110 368
1830 × 181 × 8 mm



PLINTH 70MSA 10111 368



1800 4V E series

Ontario

VV670 10111 368

1830 × 181 × 8 mm





1800 4V E series

Moraine

VV670 10113 368

1830 × 181 × 8 mm





1800 4V E series

Champlain

VV670 10115 368

1830 × 181 × 8 mm



PLINTH 70MSA 14985 368

1800 2V PB E series

Whistler

UU005 04985 368

1830 × 228 × 8 mm

MULTICOLOUR EFFECT







MULTICOLOUR EFFECT

1800 2V PB E series

Lawrence

UU005 05087 368

1830 × 228 × 8 mm



1500
series

1520 × 181 × 8 mm



1500 4V E series

Nueltin

VV667 10122 368

1520 × 181 × 8 mm



PLINTH 70MSA 10123 368



1500 4V E series

Manitoba

VV667 10123 368

1520 × 181 × 8 mm



1200
series

1220 × 181 × 8 mm
1220 × 182 × 8 mm



1200 MB E series

Calgary

VV668 10132 368
1220 × 181 × 8 mm





1200 MB E series

Edmonton

VV668 10133 368

1220 × 181 × 8 mm



1200 MB E series

Quebec

VV668 10134 368

1220 × 181 × 8 mm





1200 MB **E** series

Hamilton

VV668 10135 368
1220 × 181 × 8 mm







1200 MB **E** series

Kingston

VV668 10136 368
1220 × 181 × 8 mm



1200 MB E series

Richmond

VV668 04357 368

1220 × 181 × 8 mm







1200 MB E series

Yukon

VV668 04354 368

1220 × 181 × 8 mm



1200 4V E series

Halifax

VV669 10138 368

1220 × 181 × 8 mm







1200 4V E series

Regina

VV669 10139 368

1220 × 181 × 8 mm





1200 4V E series

Nimbus

VV669 10140 368
1220 × 181 × 8 mm





1200 4V E series

Alto

VV669 10141 368
1220 × 181 × 8 mm





1200 2V E series

Alberta

UU004 04851 368

1220 × 182 × 8 mm

MULTICOLOUR EFFECT



1200 2V E series

Sydney

UU004 04882 368

1220 × 182 × 8 mm

MULTICOLOUR EFFECT





MULTICOLOUR EFFECT

1200 2V E series

Breton

UU004 04887 368

1220 × 182 × 8 mm

Herringbone
series

660 × 110 × 8 mm





HB 4V E series

Regina

VV779 0H139 368

660 × 110 × 8 mm



HB 4V E series

Nimbus

VV779 0H140 368

660 × 110 × 8 mm







HB 4V E series

Alto

VV779 0H141 368

660 × 110 × 8 mm





HB 4V E series

Richmond

VV779 H4357 368

660 × 110 × 8 mm



Tile series

915 × 471 × 8 mm



Tile 4V series

Cyclone

VV671 10150 368

915 × 471 × 8 mm





Tile 4V series

Cloud

VV671 10151 368
915 × 471 × 8 mm



Tile 4V series

Cumulus

VV671 10153 368
915 × 471 × 8 mm





Tile 4V series

Clement

VV671 10154 368

915 × 471 × 8 mm



Accessories

Paintable skirtings



4 cm 1 cm 2.3 m

70PSK 23001 368

70 PSK2300-1



6.6 cm 1.3 cm 2.3 m

70PSK 23002 368

70 PSK2300-2



10.2 cm 1.3 cm 2.3 m

70PSK 23003 368

70 PSK2300-3



1.3 cm 1.8 cm 2 m

70PSK 20001 368

70 PSK2000-1



10 cm 2.2 cm 2 m

70PSK 20002 368

70 PSK2000-2

Discover all accessories

Matching design accessories

See page 55

. . . . = reference number



5.8 cm 1.3 cm 2.4 m

70MSA 1 368

70 MS06 . . . .



1.9 cm 1.9 cm 2.4 m

70SCA 1 368

70 SC06 . . . .



8-12 cm 3.4 cm 2.4 m

70TMA 1 368

70 TB06 . . . .

Aluminium profiles

210 Matte black

220 Brushed aluminium

230 Champagne bronze



8-15 mm 3.4 cm 2 m

70ATP 210SC 368 70 ATP 2001 SC

70ATP 220SC 368 70 ATP 2002 SC

70ATP 230SC 368 70 ATP 2003 SC



8-15 mm 4.4 cm 2 m

70ARP 210SC 368 70 ARP 2001 SC

70ARP 220SC 368 70 ARP 2002 SC

70ARP 230SC 368 70 ARP 2003 SC



8-15 mm 2.6 cm 2 m

70AEP 210SC 368 70 AEP 2001 SC

70AEP 220SC 368 70 AEP 2002 SC

70AEP 230SC 368 70 AEP 2003 SC

Installation

Easy installation

Coretec® floors have the easiest install on the market.

Watch our installation video on our website www.coretecfloors.com or scan the QR code.







Herringbone Series variations

Mix & match your own style with our herringbone planks.

Please consult our installation guide for more information about specific requirements, such as expansion gaps and material needs.



Maintenance

Coretec® cleaning products

- Stain remover
- Floor cleaning sheets







Series	Name	SKU Number NEW SKU	SKU Number OLD SKU	Length (mm)	Width (mm)	Thickness (mm)	2 Click	4 Click	Angle Click	Angle Lock	Pieces / box	M² / box	± Weight box (kg)	M² / palette
1800 4V E	Emerald	VV670 10110 368	50 LVRE 110	1830	181	8		•		•	8	2,6607	23	105,9960
	Ontario	VV670 10111 368	50 LVRE 111	1830	181	8		•		•	8	2,6607	23	105,9960
	Moraine	VV670 10113 368	50 LVRE 113	1830	181	8		•		•	8	2,6607	23	105,9960
	Champlain	VV670 10115 368	50 LVRE 115	1830	181	8		•		•	8	2,6607	23	105,9960
1800 2V PB E	Whistler	UU005 04985 368	50 LVRE 4985	1830	228	8			•	•	6	2,5084	20	110,3696
	Lawrence	UU005 05087 368	50 LVRE 5087	1830	228	8			•	•	6	2,5084	20	110,3696
1500 4V E	Nueltin	VV667 10122 368	50 LVRE 122	1520	181	8		•		•	10	2,7511	23	137,5550
	Manitoba	VV667 10123 368	50 LVRE 123	1520	181	8		•		•	10	2,7511	23	137,5550
1200 MB E	Calgary	VV668 10132 368	50 LVR 132	1220	181	8				•	12	2,6513	23	119,3085
	Edmonton	VV668 10133 368	50 LVR 133	1220	181	8				•	12	2,6513	23	119,3085
	Quebec	VV668 10134 368	50 LVR 134	1220	181	8				•	12	2,6513	23	119,3085
	Hamilton	VV668 10135 368	50 LVR 135	1220	181	8				•	12	2,6513	23	119,3085
	Kingston	VV668 10136 368	50 LVR 136	1220	181	8				•	12	2,6513	23	119,3085
	Richmond	VV668 04357 368	50 LVR 4357	1220	181	8				•	12	2,6513	23	119,3085
	Yukon	VV668 04354 368	50 LVR 4354	1220	181	8				•	12	2,6513	23	119,3085
1200 4V E	Halifax	VV669 10138 368	50 LVRE 138	1220	181	8		•		•	12	2,6498	23	119,2410
	Regina	VV669 10139 368	50 LVRE 139	1220	181	8		•		•	12	2,6498	23	119,2410
	Nimbus	VV669 10140 368	50 LVRE 140	1220	181	8		•		•	12	2,6498	23	119,2410
	Alto	VV669 10141 368	50 LVRE 141	1220	181	8		•		•	12	2,6498	23	119,2410
1200 2V E	Alberta	UU004 04851 368	50 LVRE 4851	1220	182	8	•			•	12	2,6607	22	79,8210
	Sydney	UU004 04882 368	50 LVRE 4882	1220	182	8	•			•	12	2,6607	22	79,8210
	Breton	UU004 04887 368	50 LVRE 4887	1220	182	8	•			•	12	2,6607	22	79,8210
HB 4V E	Regina	VV779 0H139 368	50 LVREH 139	660	110	8		•		•	A:16-B:16	2,3224	19	130,0544
	Nimbus	VV779 0H140 368	50 LVREH 140	660	110	8		•		•	A:16-B:16	2,3224	19	130,0544
	Alto	VV779 0H141 368	50 LVREH 141	660	110	8		•		•	A:16-B:16	2,3224	19	130,0544
	Richmond	VV779 H4357 368	50 LVREH 4357	660	110	8		•		•	A:16-B:16	2,3224	19	130,0544
TILE 4V	Cyclone	VV671 10150 368	50 LVTE 150	915	471	8		•			6	2,5855	23	56,8810
	Cloud	VV671 10151 368	50 LVTE 151	915	471	8		•			6	2,5855	23	56,8810
	Cumulus	VV671 10153 368	50 LVTE 153	915	471	8		•			6	2,5855	23	56,8810
	Clement	VV671 10154 368	50 LVTE 154	915	471	8		•			6	2,5855	23	56,8810







Name	Stairs See Stairs brochure for technical details.	Modern 2400 × 58 × 13 mm 13 pieces/box ± box weight : 21 kg NEW SKU	Modern OLD SKU	Scotia 2400 × 19 × 19 mm 80 pieces/box ± box weight : 45 kg NEW SKU	Scotia OLD SKU	T-Profile 2400 × 34 × 8-12 mm 54 pieces/box ± box weight : 23 kg NEW SKU	T-Profile OLD SKU
Emerald		70MSA 10110 368	70 MS06 0110	70SCA 10110 368	70 SC06 0110	70TMA 10110 368	70 TB06 0110
Ontario		70MSA 10111 368	70 MS06 0111	70SCA 10111 368	70 SC06 0111	70TMA 10111 368	70 TB06 0111
Moraine		70MSA 10113 368	70 MS06 0113	70SCA 10113 368	70 SC06 0113	70TMA 10113 368	70 TB06 0113
Champlain		70MSA 10115 368	70 MS06 0115	70SCA 10115 368	70 SC06 0115	70TMA 10115 368	70 TB06 0115
Whistler		70MSA 14985 368	70 MS06 4985	70SCA 14985 368	70 SC06 4985	70TMA 14985 368	70 TB06 4985
Lawrence		70MSA 15087 368	70 MS06 5087	70SCA 15087 368	70 SC06 5087	70TMA 15087 368	70 TB06 5087
Nueltin		70MSA 10122 368	70 MS06 0122	70SCA 10122 368	70 SC06 0122	70TMA 10122 368	70 TB06 0122
Manitoba		70MSA 10123 368	70 MS06 0123	70SCA 10123 368	70 SC06 0123	70TMA 10123 368	70 TB06 0123
Calgary		70MSA 10132 368	70 MS06 0132	70SCA 10132 368	70 SC06 0132	70TMA 10132 368	70 TB06 0132
Edmonton		70MSA 10133 368	70 MS06 0133	70SCA 10133 368	70 SC06 0133	70TMA 10133 368	70 TB06 0133
Quebec		70MSA 10134 368	70 MS06 0134	70SCA 10134 368	70 SC06 0134	70TMA 10134 368	70 TB06 0134
Hamilton		70MSA 10135 368	70 MS06 0135	70SCA 10135 368	70 SC06 0135	70TMA 10135 368	70 TB06 0135
Kingston		70MSA 10136 368	70 MS06 0136	70SCA 10136 368	70 SC06 0136	70TMA 10136 368	70 TB06 0136
Richmond	•	70MSA 14357 368	70 MS06 4357	70SCA 14357 368	70 SC06 4357	70TMA 14357 368	70 TB06 4357
Yukon	•	70MSA 14354 368	70 MS06 4354	70SCA 14354 368	70 SC06 4354	70TMA 14354 368	70 TB06 4354
Halifax	•	70MSA 10138 368	70 MS06 0138	70SCA 10138 368	70 SC06 0138	70TMA 10138 368	70 TB06 0138
Regina	•	70MSA 10139 368	70 MS06 0139	70SCA 10139 368	70 SC06 0139	70TMA 10139 368	70 TB06 0139
Nimbus	•	70MSA 10140 368	70 MS06 0140	70SCA 10140 368	70 SC06 0140	70TMA 10140 368	70 TB06 0140
Alto	•	70MSA 10141 368	70 MS06 0141	70SCA 10141 368	70 SC06 0141	70TMA 10141 368	70 TB06 0141
Alberta		70MSA 14851 368	70 MS06 4851	70SCA 14851 368	70 SC06 4851	70TMA 14851 368	70 TB06 4851
Sydney	•	70MSA 14882 368	70 MS06 4882	70SCA 14882 368	70 SC06 4882	70TMA 14882 368	70 TB06 4882
Breton		70MSA 14887 368	70 MS06 4887	70SCA 14887 368	70 SC06 4887	70TMA 14887 368	70 TB06 4887
Regina		70MSA 10139 368	70 MS06 0139	70SCA 10139 368	70 SC06 0139	70TMA 10139 368	70 TB06 0139
Nimbus		70MSA 10140 368	70 MS06 0140	70SCA 10140 368	70 SC06 0140	70TMA 10140 368	70 TB06 0140
Alto		70MSA 10141 368	70 MS06 0141	70SCA 10141 368	70 SC06 0141	70TMA 10141 368	70 TB06 0141
Richmond		70MSA 14357 368	70 MS06 4357	70SCA 14357 368	70 SC06 4357	70TMA 14357 368	70 TB06 4357
Cyclone	•	70MSA 10150 368	70 MS06 0150	70SCA 10150 368	70 SC06 0150	70TMA 10150 368	70 TB06 0150
Cloud		70MSA 10151 368	70 MS06 0151	70SCA 10151 368	70 SC06 0151	70TMA 10151 368	70 TB06 0151
Cumulus		70MSA 10153 368	70 MS06 0153	70SCA 10153 368	70 SC06 0153	70TMA 10153 368	70 TB06 0153
Clement	•	70MSA 10154 368	70 MS06 0154	70SCA 10154 368	70 SC06 0154	70TMA 10154 368	70 TB06 0154

Technical specifications (IT - SP - PT)

Level of use
Classe d'uso / Clasificación de uso / Classe de utilização
Class 23 / 33 (EN ISO 10874)

Geometrical characteristics
Fantasie geometriche / Características geométricas / Características geométricas
Conform (EN 17539)

Wear resistance
Resistenza all'usura / Resistencia al desgaste / Resistência ao desgaste
Pass 5000 cycles (ISO 24338)

Castor chair resistance
Resistenza alle sedie con ruote / Resistencia a sillas con ruedas / Resistência a cadeira de rodas
Pass 25 000 cycles (ISO 4918)

Effect of furniture leg
Effeto furniture leg / Efecto de la patade un mueble / Efeito da perna do móvel
No visible change (EN 16581)

Residual indentation
Indentazione residua certificata / Huella residual / Recuo residual
≤ 0.10 mm (EN ISO 24343-1)

Resistance to staining
Resistenza alle macchie / Resistencia al manchado / Resistência a manchas
5 (no visible change) (EN 438-2)

Locking strength
Chiusura perfetta con sistema a click / Resistencia a la tracción / Força de encaixe
LS ≥ 2.0 / SS ≥ 3.5 (EN 24334)

Dimensional stability
Stabilità dimensionale / Estabilidad dimensional / Estabilidade dimensional
Pass ≤ 0.25% (EN ISO 23999)

Colour fastness to light
Resistenza alla luce / Solidez del color a luz artificial / Resistência da cor à luz
> grade 6 (EN ISO 105-B-02)

Impact sound reduction
Isolamento acustico / Aislamiento acústico / Isolamento acústico
ΔL_w = 20 dB (ISO 10140-3 / EN 717-2)
ΔL_{LIN} = 10 dB (ISO 10140-3 / EN 717-1)

Formaldehyde emission class
Classe Formaldeide / Emisión formaldehído / Classificação formaldeído
E1 (EN 717-1)

Fire classification
Classe di resistenza al fuoco / Resistencia al fuego / Classificação de Fogo
BfI - S1 (EN 13501)

Slip resistance
Coefficiente dinamico di attrito / Coeficiente de fricción / Coeficiente de atrito
DS - R10 (EN 13893 - DIN 51130)

Underfloor heating
Riscaldamento a pavimento / Calefacción por suelo radiante / Aquecimento por piso radiante
Suitable (see: Underfloor Heating Guidelines)

Electrostatic performance
Performance elettrostatica / Rendimiento antiestático / Acumulação de cargas eletrostáticas
≤ 5 kV (EN 1815)

Thermal resistance
Resistenza al calore / Aislamiento térmico / Isolamento térmico
0.066 m^2-K/W (EN 12667)

Technical specifications (FI - SV - NO - DK)

Level of use
Käyttöluokka / Klassificering användningsområde / Bruksklasse / Anvendelsesgrad
Class 23 / 33 (EN ISO 10874)

Geometrical characteristics
Geometriset ominaisuudet / Geometrisk karakteristik / Geometriske kjennetegn / Geometriske egenskaber
Conform (EN 17539)

Wear resistance
Kulutuksenkesto / Slitstyrka / Slitestyrke / Slidstyrke
Pass 5000 cycles (ISO 24338)

Castor chair resistance
Pyörällisen toimistotuolin kesto / Tålighet mot rullhjul / Motstandsdyktighet / Modstandsdygtighed over for hjulstol
Pass 25 000 cycles (ISO 4918)

Effect of furniture leg
Huonekalun jalkojen kesto / Verkan från möbelben / Effekt møbelbein / Virkning af møbelben
No visible change (EN 16581)

Residual indentation
Jäännöspainuma / Beständighet mot intrycksmärken / Motstandsdyktighet mottrykkmerker / Resterende indtryk
≤ 0.10 mm (EN ISO 24343-1)

Resistance to staining
Tahraantumisenkesto / Fläckbeständighet / Motstandsdyktighet mot flekker / Modstandsdygtighed over for pletter
5 (no visible change) (EN 438-2)

Locking strength
Lukituksen vahvuus / Låsningsstyrka / Låsestabilitet / Låsningsstyrke
LS ≥ 2.0 / SS ≥ 3.5 (EN 24334)

Dimensional stability
Mittavakaus / Dimensionsstabilitet vid värmepåverkan / Formstabilitet / Dimensionel stabilitet
Pass ≤ 0.25% (EN ISO 23999)

Colour fastness to light
Valonkesto / Färghärdighet / Lysfasthet / Låsningsstyrke
> grade 6 (EN ISO 105-B-02)

Impact sound reduction
Askeläänen parannusarvo / Ljudisolering / Akustisk isolasjon (lydisolering) / Reduktion af stødlyd
ΔL_w = 20 dB (ISO 10140-3 / EN 717-2)
ΔL_{LIN} = 10 dB (ISO 10140-3 / EN 717-1)

Formaldehyde emission class
Formaldehydiluokka / Formaldehydemission / Formaldehyd emisjonsgruppe / Formaldehydemissionsklasse
E1 (EN 717-1)

Fire classification
Paloluokka / Flamsäkerhet / Brannklasse / Brandklassificering
BfI - S1 (EN 13501)

Slip resistance
Kitka / Halksäkerhet / Sklimotstand / Skridsikkerhed
DS - R10 (EN 13893 - DIN 51130)

Underfloor heating
Lattialämmitys / Värmegolv / Gulvvarme /Gulvvarme
Suitable (see: Underfloor Heating Guidelines)

Electrostatic performance
Sähköstaattinen varautuminen / Prestanda statisk elektricitet / Elektrostatisk ytelse (antistatisk) / Elektrostatisk ydeevne
≤ 5 kV (EN 1815)

Thermal resistance
Lämmönvastus / Värmemotstånd / Varmebestandighet / Termisk modstandsdygtighed
0.066 m^2-K/W (EN 12667)

Technical specifications (SK - PL - RU - HU - CZ - LT)

Level of use
Úroveň použitia / Klasa ścieralności / Класс спользования / Európai besorolás / Úroveň použití / Atsparumo klasė
Class 23 / 33 (EN ISO 10874)

Geometrical characteristics
Geometrické parametre / Charakterystyka Geometryczna / геометрические характеристики / Geometriai jellemző / Rozměry / Geometrinės savybės
Conform (EN 17539)

Wear resistance
Odolnosť voči opotrebeniu / Wytrzymałość na zużycie / износостойкость / Kopásállóság / Odolnost proti opotřebení / Atsparumas dilimui
Pass 5000 cycles (ISO 24338)

Castor chair resistance
Odolnosť voči kolieskam na stoličke / Odporność na krzesła obrotowe z kółkami / Стойкость к креслам с роликами / Görgős szék teszt / Odolnost vůči kolečkovým židlým / Atsparumas kėdžių ratukams
Pass 25 000 cycles (ISO 4918)

Effect of furniture leg
Efekt z nôh nábytku / Wpływ nogi meblowej / воздействие мебельных ножек / Bútorlábhatás / Vliv nábytkové nožky / Baldų poveikis
No visible change (EN 16581)

Residual indentation
Trvalá deformácia / Pozostałe wgniecenie / остаточные вмятины / Megmaradó benyomódás / Trvalá deformace / Likęs įdubimas
≤ 0.10 mm (EN ISO 24343-1)

Resistance to staining
Odolnosť voči napúšťaniu farbou / Odporność na barwienie / устойчивость к пятнообразованию / Foltállóság / Odolnost proti vzniku skvrn / Atsparumas dėmėms
5 (no visible change) (EN 438-2)

Locking strength
Pevnosť pripojenia / Wytrzymałość blokowania / прочность крепления / Záróerő / Pevnostzajištění / Blokavimo jėga
LS ≥ 2.0 / SS ≥ 3.5 (EN 24334)

Dimensional stability
Rozmerová stabilita / Stabilność wymiarowa / Стабильность размеров / Méretstabilitás / Rozměrová stabilita / Matmenų stabilumas
Pass ≤ 0.25% (EN ISO 23999)

Colour fastness to light
Stálosť farby na svetle / Odporność koloru na światło / устойчивость окраски к свету / Színtartósság / Stálobarevnost na světle / Spalvų atsparumas šviesa
> grade 6 (EN ISO 105-B-02)

Impact sound reduction
Akustická izolácia / Izolacja akustyczna Звукоизоляция / Hangszigetelés / Akustická izolace / Garso slopinimas
ΔL_w = 20 dB (ISO 10140-3 / EN 717-2)
ΔL_{LIN} = 10 dB (ISO 10140-3 / EN 717-1)

Formaldehyde emission class
Formaldehydová skupina / Emisja formaldehydu / Класс эмиссии формальдегида / Formaldehyd csoport / Formaldehydová skupina / Formaldehyde group
E1 (EN 717-1)

Fire classification
Klasifikácia voči požiaru / klasyfikacja ogniowa / класс огнестойкости / Tűzállósági osztály / Požární klasifikace / Degumo klasifikacija
Bfl - S1 (EN 13501)

Slip resistance
Protišmykovosť / Śliskość / Стойкость к скольжению / Csúszásmentes / Protiskluznost / Slidumo klasė
DS - R10 (EN 13893 - DIN 51130)

Underfloor heating
Podlahové vykurovanie / Ogrzewanie podłogowe / Полы с подогревом / Padlófűtésre / Podlahové vykurování / Šildomos grindys
Suitable (see: Underfloor Heating Guidelines)

Electrostatic performance
Elektrostatické prevedenie / Akumulacja ładunków elektrostatycznych / Электростатичность / Elektromos feltöltődés / Elektrostatické provedení / Antistatiškumas
≤ 5 kV (EN 1815)

Thermal resistance
Tepelná odolnosť / Odporność cieplna / термостойкость / Hőállóság / Teplotní odolnost / Terminis atsparumas
0.066 m^2-K/W (EN 12667)



It’s in our core to adore nature

Our commitments

Choose me once, love me for life
We believe in a world where things last! For a lifetime, and longer. That’s good for you, and also for the planet. So our products carry a lifetime guarantee for domestic use, and a 10-year guarantee for commercial use.

Breathe healthy air
The GreenGuard Gold certification is recognised as one of the most stringent in the world, going beyond the A+ rating for indoor air quality. This means that your floor contributes to the healthiest environment for working and living, and protects the most sensitive people.

Sustainable cork underlay
Cork is a highly durable material. It retains its natural springiness even after years of use, while woods planted with cork oak reduce CO_2 emissions.

We can prove it
Don’t take our word for it, look at the proof! Coretec® meets the standards for numerous quality labels and certificates. Our floors are free of heavy metals (such as lead) and phthalates.

Second Life
So you’re changing your floor? Why not give the old Coretec® floor a second life! You can gift your old floor via Second Life Floors. Because your old floor is perfectly fine to start a new story in a new location.

Do your bit for forest conservation
There is no wood in a Coretec® floor. So no trees are cut down to make your home beautiful. More than that: we are active in forest conservation, worldwide.

Coretec®



Coretec® floors are that good, somebody else can re-enjoy it.

Learn how your Coretec® floor gets a second life.

We collect
your existing Coretec® floor after your request

We clean
your floor with Coretec® biological cleaning products at a business who employs people with complex barriers to work



2ND life
you help us lay the foundations to a more durable world

New purpose
your Coretec® floor gets a new purpose in a non-profit organisation or other charity



Lifetime warranty residential

10 year warranty commercial

Warranty (Years) The warranty covers manufacturing defects and premature wear in the event of normal use.
Garanzia (anni) La garanzia copre i difetti di produzione e usura prematura in caso di corretto e normale utilizzo.
Garantía (años) La garantía cubre los defectos de fabricación y el desgaste prematuro en caso de uso normal.
Garantia (anos) A garantia cobre defeitos industriais e uso prematuro usado normal.
Takuu (vuosi) Takuu kattaa valmistusvirheet ja normaalista käytöstä johtuvan pinnan puhkikulumisen.
Garanti (år) Garantien gjelder mot produksjonsfeil, og for tidlig slitasje ved normalt bruk av gulvet.
Garanti (år) Garantin gäller tillverkningsfel och för tidig utslitning vid normalt användande.
Garanti (år) Garantien gælder for fabrikationsfejl og for tidlig slid ved normal brug.
Záruka (rok) Záruka sa vzťahuje na výrobné chyby a predčasné opotrebenie v prípade bežného používania.
Termin gwarancji (rok) Gwarancja obejmuje wadyfabryczne i przedwczesne zużycie w przypadku normalnego użytkowania.
Гарантия (лет) Гарантия покрывает производственные дефекты и преждевременный износ при нормальном использовании.
A garancia gyártási hibákra és idő előtti elhasználódásra általános használatnál érvényes.
Záruka (rok) Záruka se vztahuje na vady z výroby a předčasné opotřebení v případě běžného používaní.
Garantija (Metai) Garantija taikoma gamybos trūkumams ir per greitam nusidėvėjimui eksploatuojant normaliomis sąlygomis

Coretec

Souverainestraat 27 - 9770 Kruisem (Belgium)
info@usfloors.be - www.coretecfloors.com

US FLOORS INTERNATIONAL BV, A PROUD DIVISION OF Shaw INDUSTRIES

06-2026 / EN-INTERNATIONAL - PS313 00064 368 / The flooring in this document is reproduced as accurately as achievable by printing techniques. Information in this document is subject to change. Value: € 2,00