EN

NATURALS
Collection



TRUST IN EVERY STEP

TRUST IN EVERY STEP

Coretec®

Trust in every step

Choosing the right floor can be overwhelming. Some people prioritise aesthetics, some go for quality and others opt for ease of use. Instead of compromising, we've combined the best of all worlds in one floor: Coretec®. Aesthetically refined, but also exceptionally durable. Comfortable to walk on, yet also waterproof and wear resistant. Easy to install and maintain.

That's trust in every step.



Warm feeling thanks to our cork backing

All our floors have a unique attached cork underlayment. Why? It's warmer, quieter and easily installs over existing hard surfaces, perfectly concealing imperfections in subfloors.

And: it's one of the most sustainable materials out there. Cork is harvested from the cork tree and can be re-harvested every decade without damaging the tree.

Easy to maintain

Cleaning our floors is child's play. Thanks to our high performance wear layers, Coretec® floors are easy to clean and easy to maintain.

Spilled something? No worries, you can easily clean it up, using your floor cleaner or our recommended Coretec® cleaning products.



Time saving solution

Coretec® is easy to install, to care for and to live with. Its secure angle tap system doesn't require any glue or nails and can be installed over existing floors without additional underlayment.

Forget about sanding, polishing, sealing or refinishing: our floors are maintenance-free.



100% waterproof floors

Our floors are 100% waterproof, kid proof & pet proof. Try them in your kitchen or bathroom: they won't warp or buckle, even if submerged in water.

Our 100% waterproof core, resilient vinyl and protective wear layer will keep your floor looking good for the life of your home. So naturally, all Coretec® floors come with a lifetime residential warranty.



Sound Core® 8 mm

Silent & strong, down to the core

At Coretec®, we're proud to offer the most complete collection of 100% waterproof floors, so you can express what makes you, you.



- 100 % water resistant
- Extremely stable
- No acclimatisation necessary
- Easy to install
- Installation on any surface
- Reduces noise
- Wear resistant
- Pet proof
- Electrostatic performance
- Suitable for underfloor heating & cooling

NATURALS
Collection

AUTHENTIC TO THE CORE - AUTHENTIC TO THE CORE -



	MULTI SERIES	1800 SERIES		1500 SERIES	
	8 mm	8 mm		8 mm	
	0,55 mm	0,55 mm		0,55 mm	
	10 pcs 2,6200 m² ± 24 kg	6 pcs 2,4705 m² ± 20 kg	6 pcs 2,5269 m² ± 19 kg	8 pcs 2,2277 m² ± 17 kg	10 pcs 2,7512 m² ± 23 kg

	1200 SERIES	HERRINGBONE SERIES			TILE SERIES	
	8 mm	8 mm			8,8 mm	8 mm
	0,55 mm	0,55 mm			0,55 mm	
	12 pcs 2,6661 m² ± 22 kg	32 pcs 2,3224 m² ± 19 kg	12 pcs 2,4952 m² ± 21 kg	32 pcs 2,9185 m² ± 23 kg	4 pcs 2,2797 m² ± 21 kg	6 pcs 2,5851 m² ± 23 kg

PRESSED BEVEL — Has pressed bevels on the long & short sides

2 V-GROOVE — Has bevels on the long sides

4 V-GROOVE — Has bevels on the long & short sides

EMBOSSED IN REGISTER — The embossing follows the structure of the wood for a real-life touch

Pick your colour

Planks



DESERT VV427 00805 368



SWAMP VV426 00859 368



FOREST VV427 00806 368
FOREST HB VV579 0H806 368



TIMBER VV426 00853 368



FLORA VV826 02554 368
FLORA HB VV055 02554 368



AURORA VV827 02756 368
AURORA HB VV836 02756 368



PAMPAS VV828 02955 368



EILA VV829 03173 368



BARLEY VV827 02754 368
BARLEY HB VV836 02754 368



FERN VV834 03273 368



BLOSSOM VV826 02514 368



JUNIPER VV827 02713 368
JUNIPER HB VV836 02713 368



HAZE VV426 00855 368



IRIS VV828 02995 368



MEADOW VV427 00807 368
MEADOW HB VV579 0H807 368



LEAF VV426 00858 368



LUMBER VV427 00804 368
LUMBER HB VV579 0H804 368



ACORN VV426 00854 368
ACORN HB VV579 0H854 368



MARLOW VV827 02884 368



SORREL VV826 02556 368
SORREL HB VV055 02556 368



BARK VV426 00856 368



PERUVIA VV827 03084 368



ELON VV827 02887 368



JUGLANS VV827 03088 368
JUGLANS HB VV836 03088 368



RAVEN VV829 03188 368

Tiles


p. 61

THABOR VV428 01903 368


p. 69

ALBARON VV837 03392 368


p. 66

VELETA VV837 03394 368


p. 60

EVEREST VV428 01901 368


p. 64

ANETO VV837 03473 368


p. 59

JURA VV428 01907 368


p. 70

STROMBOLI VV837 03493 368


p. 62

MATTERHORN VV428 01905 368


p. 67

ALGAR VV837 03396 368


p. 68

BERNER VV837 03399 368


p. 63

CANYON VV428 01906 368

Veleta VV837 03394 368



Multi 2V E series

Fern

VV834 03273 368



Multi series

1 box contains planks in following dimensions:

1830 × 228 × 8 mm
1830 × 181 × 8 mm
1220 × 126 × 8 mm
610 × 126 × 8 mm



1800 2V E series

Peruvia

VV827 03084 368

1830 × 230 × 8 mm



1800 series

1830 × 225 × 8 mm
1830 × 230 × 8 mm







1800 4V PB E series

Eila

VV829 03173 368

1830 × 225 × 8 mm



1800 4V PB E series

Raven

VV829 03188 368

1830 × 225 × 8 mm

No expansion
gap needed!

Plinth 70MSN 02756 368



1800 2V E series

Aurora

VV827 02756 368

1830 × 230 × 8 mm



Plinth 70MSN 02713 368

1800 2V E series

Juniper

VV827 02713 368

1830 × 230 × 8 mm



1800 2V E series

Barley

VV827 02754 368

1830 × 230 × 8 mm





1800 2V E series

Juglans

VV827 03088 368

1830 × 230 × 8 mm







1800 2V E series

Marlow

VV827 02884 368

1830 × 230 × 8 mm



1800 2V E series

Elon

VV827 02887 368

1830 × 230 × 8 mm

Flora VV826 02554 368



1500 2V E series

Sorrel

VV826 02556 368

1520 × 181 × 8 mm



1500 series

1530 × 182 × 8 mm
1520 × 181 × 8 mm

Plinth 70MSN 02556 368



Plinth 70MSN 02995 368

1500 2V series

Iris

VV828 02995 368

1530 × 182 × 8 mm



1500 2V series

Pampas

VV828 02955 368

1530 × 182 × 8 mm





1500 2V E series

Blossom

VV826 02514 368
1520 × 181 × 8 mm



1500 2V E series

Flora

VV826 02554 368
1520 × 181 × 8 mm





1200 MB series

Forest

VV427 00806 368

1220 × 182 × 8 mm



1200 series

1200 × 182 × 8 mm



1200 MB series

Lumber

VV427 00804 368
1220 × 182 × 8 mm



1200 MB series

Desert

VV427 00805 368
1220 × 182 × 8 mm



1200 **MB** series

Meadow

VV427 00807 368
1220 × 182 × 8 mm



1200 **4V** series

Timber

VV426 00853 368
1220 × 182 × 8 mm







1200 4V series

Acorn

VV426 00854 368

1220 × 182 × 8 mm

1200 4V series

Haze

VV426 00855 368

1220 × 182 × 8 mm







1200 4V series

Swamp

VV426 00859 368

1220 × 182 × 8 mm







1200 4V series

Bark

VV426 00856 368
1220 × 182 × 8 mm

1200 4V series

Leaf

VV426 00858 368
1220 × 182 × 8 mm





PLINTH 70MSN 02756 368



HB **E** series

Aurora

VV836 02756 368
604 × 151 × 8 mm



Herringbone series

660 × 110 × 8 mm
604 × 151 × 8 mm
912 × 228 × 8 mm



WB MB E series

Sorrel

VV835 02556 368

912 × 228 × 8 mm



WB MB E series

Flora

VV835 02554 368

912 × 228 × 8 mm



HB 4V series

Lumber

VV579 0H804 368
660 × 110 × 8 mm



HB 4V series

Forest

VV579 0H806 368
660 × 110 × 8 mm



HB 4V series

Acorn

VV579 0H854 368

660 × 110 × 8 mm



HB 4V series

Meadow

VV579 0H807 368

660 × 110 × 8 mm



Plinth 70MSN 02713 368



HB E series

Juniper

VV836 02713 368

604 × 151 × 8 mm



HB E series

Barley

VV836 02754 368

604 × 151 × 8 mm



HB E series

Juglans

VV836 03088 368

604 × 151 × 8 mm

Defined by the details of nature

NATURALS
Collection





Tile 4V series

Jura

VV428 01907 368
915 × 471 × 8 mm



Tile series

950 × 600 × 8,8 mm
915 × 471 × 8 mm



Tile 4V series

Everest

VV428 01901 368

915 × 471 × 8 mm



Tile 4V series

Thabor

VV428 01903 368

915 × 471 × 8 mm







Tile 4V series

Matterhorn

VV428 01905 368

915 × 471 × 8 mm

Tile 4V series

Canyon

VV428 01906 368

915 × 471 × 8 mm





Megatile 4V series

Aneto

VV837 03473 368
950 × 600 × 8,8 mm

Aneto VV837 03473 368

Plinth 70MSN 03473 368



Plinth 70MSN 03394 368

Megatile 4V series

Veleta

VV837 03394 368

950 × 600 × 8,8 mm



Megatile 4V series

Algar

VV837 03396 368

950 × 600 × 8,8 mm







Megatile 4V series

Berner

VV837 03399 368
950 × 600 × 8,8 mm

Megatile 4V series

Albaron

VV837 03392 368
950 × 600 × 8,8 mm







Megatile 4V series

Stromboli

VV837 03493 368

950 × 600 × 8,8 mm

Accessories

Paintable skirtings



4 cm 1 cm 2.3 m

70PSK 23001 368

70 PSK2300-1



6.6 cm 1.3 cm 2.3 m

70PSK 23002 368

70 PSK2300-2



10.2 cm 1.3 cm 2.3 m

70PSK 23003 368

70 PSK2300-3



1.3 cm 1.8 cm 2 m

70PSK 20001 368

70 PSK2000-1



10 cm 2.2 cm 2 m

70PSK 20002 368

70 PSK2000-2

Discover all accessories

Matching design accessories

See page 75

. . . . = reference number



5.8 cm 1.3 cm 2.4 m

70MSN 0 368

70 MS09 . . . .



1.9 cm 1.9 cm 2.4 m

70SCN 0 368

70 SC09 . . . .



8-12 cm 3.4 cm 2.4 m

70TMN 0 368

70 TB09 . . . .

Aluminium profiles

210 Matte black

220 Brushed aluminium

230 Champagne bronze



8-15 mm 3.4 cm 2 m

70ATP 210SC 368 70 ATP 2001 SC

70ATP 220SC 368 70 ATP 2002 SC

70ATP 230SC 368 70 ATP 2003 SC



8-15 mm 4.4 cm 2 m

70ARP 210SC 368 70 ARP 2001 SC

70ARP 220SC 368 70 ARP 2002 SC

70ARP 230SC 368 70 ARP 2003 SC



8-15 mm 2.6 cm 2 m

70AEP 210SC 368 70 AEP 2001 SC

70AEP 220SC 368 70 AEP 2002 SC

70AEP 230SC 368 70 AEP 2003 SC

Installation

Easy installation

Coretec® floors have the easiest install on the market.

Watch our installation video on our website www.coretecfloors.com or scan the QR code.







Herringbone Series variations

Mix & match your own style with our herringbone planks.

Please consult our installation guide for more information about specific requirements, such as expansion gaps and material needs.



Multi Series variations

Create your own style with four different plank sizes. The layout you choose is completely up to you!

Please consult our installation guide for more information about specific requirements, such as expansion gaps and material needs.



Cleaning

Coretec® cleaning products

- Floor cleaning sheets
- Stain remover





Series	Name	SKU Number		Length (mm)	Width (mm)	Thickness (mm)	2 Clicks	4 Clicks	Aging Wire	Scotch Brite	Pieces / box	M² / box	± Weight box (kg)	M² / pallet
		NEW SKU	OLD SKU											
MULTI 2V E	Fern	VV834 03273 368	50 LVREM 3273	610	126	8	•			•	2	2,6200	24	125,7600
				1830	181	8	•			•	4			
				1220	126	8	•			•	2			
				1830	228	8	•			•	2			
1800 4V PB E	Eila	VV829 03173 368	50 LVRE 3173	1830	225	8		•	•	•	6	2,4705	20	108,7020
	Raven	VV829 03188 368	50 LVRE 3188	1830	225	8		•	•	•	6	2,4705	20	108,7020
1800 2V E	Aurora	VV827 02756 368	50 LVRE 2756	1830	230	8	•			•	6	2,5269	19	111,1836
	Juniper	VV827 02713 368	50 LVRE 2713	1830	230	8	•			•	6	2,5269	19	111,1836
	Barley	VV827 02754 368	50 LVRE 2754	1830	230	8	•			•	6	2,5269	19	111,1836
	Juglans	VV827 03088 368	50 LVRE 3088	1830	230	8	•			•	6	2,5269	19	111,1836
	Peruvia	VV827 03084 368	50 LVRE 3084	1830	230	8	•			•	6	2,5269	19	111,1836
	Elon	VV827 02887 368	50 LVRE 2887	1830	230	8	•			•	6	2,5269	19	111,1836
	Marlow	VV827 02884 368	50 LVRE 2884	1830	230	8	•			•	6	2,5269	19	111,1836
1500 2V E	Sorrel	VV826 02556 368	50 LVRE 2556	1520	181	8	•			•	10	2,7512	23	137,50
	Flora	VV826 02554 368	50 LVRE 2554	1520	181	8	•			•	10	2,7512	23	137,50
	Blossom	VV826 02514 368	50 LVRE 2514	1520	181	8	•			•	10	2,7512	23	137,50
1500 2V	Iris	VV828 02995 368	50 LVRE 2995	1530	182	8	•				8	2,2277	17	144,8005
	Pampas	VV828 02955 368	50 LVRE 2955	1530	182	8	•				8	2,2277	17	144,8005
1200 4V	Timber	VV426 00853 368	50 LVPE 853	1220	182	8		•			12	2,6661	22	79,9830
	Acorn	VV426 00854 368	50 LVPE 854	1220	182	8		•			12	2,6661	22	79,9830
	Haze	VV426 00855 368	50 LVPE 855	1220	182	8		•			12	2,6661	22	79,9830
	Bark	VV426 00856 368	50 LVPE 856	1220	182	8		•			12	2,6661	22	79,9830
	Leaf	VV426 00858 368	50 LVPE 858	1220	182	8		•			12	2,6661	22	79,9830
	Swamp	VV426 00859 368	50 LVPE 859	1220	182	8		•			12	2,6661	22	79,9830
1200 MB	Lumber	VV427 00804 368	50 LVP 804	1220	182	8					12	2,6661	22	79,9830
	Desert	VV427 00805 368	50 LVP 805	1220	182	8					12	2,6661	22	79,9830
	Forest	VV427 00806 368	50 LVP 806	1220	182	8					12	2,6661	22	79,9830
	Meadow	VV427 00807 368	50 LVP 807	1220	182	8					12	2,6661	22	79,9830
WB MB E	Sorrel	VV055 02556 368	50 LVRH 2556	912	228	8				•	A:6 - B:6	2,4952	21	79,8464
	Flora	VV055 02554 368	50 LVRH 2554	912	228	8				•	A:6 - B:6	2,4952	21	79,8464
HB E	Aurora	VV836 02756 368	50 LVRH 2756	604	151	8				•	A:16 - B:16	2,9185	23	122,5770
	Juniper	VV836 02713 368	50 LVRH 2713	604	151	8				•	A:16 - B:16	2,9185	23	122,5770
	Barley	VV836 02754 368	50 LVRH 2754	604	151	8				•	A:16 - B:16	2,9185	23	122,5770
	Juglans	VV836 03088 368	50 LVRH 3088	604	151	8				•	A:16 - B:16	2,9185	23	122,5770
HB 4V	Lumber	VV579 0H804 368	50 LVPEH 804	660	110	8		•			A:16 - B:16	2,3224	19	130,0544
	Forest	VV579 0H806 368	50 LVPEH 806	660	110	8		•			A:16 - B:16	2,3224	19	130,0544
	Meadow	VV579 0H807 368	50 LVPEH 807	660	110	8		•			A:16 - B:16	2,3224	19	130,0544
	Acorn	VV579 0H854 368	50 LVPEH 854	660	110	8		•			A:16 - B:16	2,3224	19	130,0544
TILE 4V	Everest	VV428 01901 368	50 LVTE 1901	915	471	8	•				6	2,5851	23	56,8722
	Thabor	VV428 01903 368	50 LVTE 1903	915	471	8	•				6	2,5851	23	56,8722
	Matterhorn	VV428 01905 368	50 LVTE 1905	915	471	8	•				6	2,5851	23	56,8722
	Canyon	VV428 01906 368	50 LVTE 1906	915	471	8	•				6	2,5851	23	56,8722
	Jura	VV428 01907 368	50 LVTE 1907	915	471	8	•				6	2,5851	23	56,8722
MEGATILE 4V	Veleta	VV837 03394 368	50 LVTE 3394	950	600	8,8	•				4	2,2797	21	109,4256
	Algar	VV837 03396 368	50 LVTE 3396	950	600	8,8	•				4	2,2797	21	109,4256
	Berner	VV837 03399 368	50 LVTE 3399	950	600	8,8	•				4	2,2797	21	109,4256
	Albaron	VV837 03392 368	50 LVTE 3392	950	600	8,8	•				4	2,2797	21	109,4256
	Stromboli	VV837 03493 368	50 LVTE 3493	950	600	8,8	•				4	2,2797	21	109,4256
	Aneto	VV837 03473 368	50 LVTE 3473	950	600	8,8	•				4	2,2797	21	109,4256







Name	Stairs See Stairs brochure for technical details.	Modern 2400 × 58 × 13 mm 13 pieces/box ± box weight : 21 kg		Scotia 2400 × 19 × 19 mm 80 pieces/box ± box weight : 45 kg		T-Profile 2400 × 34 × 8-12 mm 54 pieces/box ± box weight : 23 kg	
		NEW SKU	OLD SKU	NEW SKU	OLD SKU	NEW SKU	OLD SKU
Fern		70MSN 03273 368	70 MS09 3273	70SCN 03273 368	70 SC09 3273	70TMN 03273 368	70 TB09 3273
Eila		70MSN 03173 368	70 MS09 3173	70SCN 03173 368	70 SC09 3173	70TMN 03173 368	70 TB09 3173
Raven		70MSN 03188 368	70 MS09 3188	70SCN 03188 368	70 SC09 3188	70TMN 03188 368	70 TB09 3188
Aurora		70MSN 02756 368	70 MS09 2756	70SCN 02756 368	70 SC09 2756	70TMN 02756 368	70 TB09 2756
Juniper		70MSN 02713 368	70 MS09 2713	70SCN 02713 368	70 SC09 2713	70TMN 02713 368	70 TB09 2713
Barley		70MSN 02754 368	70 MS09 2754	70SCN 02754 368	70 SC09 2754	70TMN 02754 368	70 TB09 2754
Juglans		70MSN 03088 368	70 MS09 3088	70SCN 03088 368	70 SC09 3088	70TMN 03088 368	70 TB09 3088
Peruvia		70MSN 03084 368	70 MS09 3084	70SCN 03084 368	70 SC09 3084	70TMN 03084 368	70 TB09 3084
Elon		70MSN 02887 368	70 MS09 2887	70SCN 02887 368	70 SC09 2887	70TMN 02887 368	70 TB09 2887
Marlow		70MSN 02884 368	70 MS09 2884	70SCN 02884 368	70 SC09 2884	70TMN 02884 368	70 TB09 2884
Sorrel		70MSN 02556 368	70 MS09 2556	70SCN 02556 368	70 SC09 2556	70TMN 02556 368	70 TB09 2556
Flora		70MSN 02554 368	70 MS09 2554	70SCN 02554 368	70 SC09 2554	70TMN 02554 368	70 TB09 2554
Blossom		70MSN 02514 368	70 MS09 2514	70SCN 02514 368	70 SC09 2514	70TMN 02514 368	70 TB09 2514
Iris		70MSN 02995 368	70 MS09 2995	70SCN 02995 368	70 SC09 2995	70TMN 02995 368	70 TB09 2995
Pampas		70MSN 02955 368	70 MS09 2955	70SCN 02955 368	70 SC09 2955	70TMN 02955 368	70 TB09 2955
Timber	•	70MSN 00853 368	70 MS09 0853	70SCN 00853 368	70 SC09 0853	70TMN 00853 368	70 TB09 0853
Acorn	•	70MSN 00854 368	70 MS09 0854	70SCN 00854 368	70 SC09 0854	70TMN 00854 368	70 TB09 0854
Haze		70MSN 00855 368	70 MS09 0855	70SCN 00855 368	70 SC09 0855	70TMN 00855 368	70 TB09 0855
Bark		70MSN 00856 368	70 MS09 0856	70SCN 00856 368	70 SC09 0856	70TMN 00856 368	70 TB09 0856
Leaf		70MSN 00858 368	70 MS09 0858	70SCN 00858 368	70 SC09 0858	70TMN 00858 368	70 TB09 0858
Swamp		70MSN 00859 368	70 MS09 0859	70SCN 00859 368	70 SC09 0859	70TMN 00859 368	70 TB09 0859
Lumber	•	70MSN 00804 368	70 MS09 0804	70SCN 00804 368	70 SC09 0804	70TMN 00804 368	70 TB09 0804
Desert	•	70MSN 00805 368	70 MS09 0805	70SCN 00805 368	70 SC09 0805	70TMN 00805 368	70 TB09 0805
Forest	•	70MSN 00806 368	70 MS09 0806	70SCN 00806 368	70 SC09 0806	70TMN 00806 368	70 TB09 0806
Meadow	•	70MSN 00807 368	70 MS09 0807	70SCN 00807 368	70 SC09 0807	70TMN 00807 368	70 TB09 0807
Sorrel		70MSN 02556 368	70 MS09 2556	70SCN 02556 368	70 SC09 2556	70TMN 02556 368	70 TB09 2556
Flora		70MSN 02554 368	70 MS09 2554	70SCN 02554 368	70 SC09 2554	70TMN 02554 368	70 TB09 2554
Aurora		70MSN 02756 368	70 MS09 2756	70SCN 02756 368	70 SC09 2756	70TMN 02756 368	70 TB09 2756
Juniper		70MSN 02713 368	70 MS09 2713	70SCN 02713 368	70 SC09 2713	70TMN 02713 368	70 TB09 2713
Barley		70MSN 02754 368	70 MS09 2754	70SCN 02754 368	70 SC09 2754	70TMN 02754 368	70 TB09 2754
Juglans		70MSN 03088 368	70 MS09 3088	70SCN 03088 368	70 SC09 3088	70TMN 03088 368	70 TB09 3088
Lumber		70MSN 00804 368	70 MS09 0804	70SCN 00804 368	70 SC09 0804	70TMN 00804 368	70 TB09 0804
Forest		70MSN 00806 368	70 MS09 0806	70SCN 00806 368	70 SC09 0806	70TMN 00806 368	70 TB09 0806
Meadow		70MSN 00807 368	70 MS09 0807	70SCN 00807 368	70 SC09 0807	70TMN 00807 368	70 TB09 0807
Acorn		70MSN 00854 368	70 MS09 0854	70SCN 00854 368	70 SC09 0854	70TMN 00854 368	70 TB09 0854
Everest		70MSN 01901 368	70 MS09 1901	70SCN 01901 368	70 SC09 1901	70TMN 01901 368	70 TB09 1901
Thabor		70MSN 01903 368	70 MS09 1903	70SCN 01903 368	70 SC09 1903	70TMN 01903 368	70 TB09 1903
Matterhorn	•	70MSN 01905 368	70 MS09 1905	70SCN 01905 368	70 SC09 1905	70TMN 01905 368	70 TB09 1905
Canyon		70MSN 01906 368	70 MS09 1906	70SCN 01906 368	70 SC09 1906	70TMN 01906 368	70 TB09 1906
Jura	•	70MSN 01907 368	70 MS09 1907	70SCN 01907 368	70 SC09 1907	70TMN 01907 368	70 TB09 1907
Veleta		70MSN 03394 368	70 MS09 3394	70SCN 03394 368	70 SC09 3394	70TMN 03394 368	70 TB09 3394
Algar		70MSN 03396 368	70 MS09 3396	70SCN 03396 368	70 SC09 3396	70TMN 03396 368	70 TB09 3396
Berner		70MSN 03399 368	70 MS09 3399	70SCN 03399 368	70 SC09 3399	70TMN 03399 368	70 TB09 3399
Albaron		70MSN 03392 368	70 MS09 3392	70SCN 03392 368	70 SC09 3392	70TMN 03392 368	70 TB09 3392
Stromboli		70MSN 03493 368	70 MS09 3493	70SCN 03493 368	70 SC09 3493	70TMN 03493 368	70 TB09 3493
Aneto		70MSN 03473 368	70 MS09 3473	70SCN 03473 368	70 SC09 3473	70TMN 03473 368	70 TB09 3473

Technical specifications (IT - SP - PT)

Level of use
Classe d'uso / Clasificación de uso / Classe de utilização
Class 23 / 33 (EN ISO 10874)

Geometrical characteristics
Fantasie geometriche / Características geométricas / Características geométricas
Conform (EN 17539)

Wear resistance
Resistenza all'usura / Resistencia al desgaste / Resistência ao desgaste
Pass 5000 cycles (ISO 24338)

Castor chair resistance
Resistenza alle sedie con ruote / Resistencia a sillas con ruedas / Resistência a cadeira de rodas
Pass 25 000 cycles (ISO 4918)

Effect of furniture leg
Effeto furniture leg / Efecto de la patade un mueble / Efeito da perna do móvel
No visible change (EN 16581)

Residual indentation
Indentazione residua certificata / Huella residual / Recuo residual
≤ 0.10 mm (EN ISO 24343-1)

Resistance to staining
Resistenza alle macchie / Resistencia al manchado / Resistência a manchas
5 (no visible change) (EN 438-2)

Locking strength
Chiusura perfetta con sistema a click / Resistencia a la tracción / Força de encaixe
LS ≥ 2.0 / SS ≥ 3.5 (EN 24334)

Dimensional stability
Stabilità dimensionale / Estabilidad dimensional / Estabilidade dimensional
Pass ≤ 0.25% (EN ISO 23999)

Colour fastness to light
Resistenza alla luce / Solidez del color a luz artificial / Resistência da cor à luz
> grade 6 (EN ISO 105-B-02)

Impact sound reduction
Isolamento acustico / Aislamiento acústico / Isolamento acústico
ΔL_w = 20 dB (ISO 10140-3 / EN 717-2)
ΔL_{LIN} = 10 dB (ISO 10140-3 / EN 717-1)

Formaldehyde emission class
Classe Formaldeide / Emisión formaldehído / Classificação formaldeído
E1 (EN 717-1)

Fire classification
Classe di resistenza al fuoco / Resistencia al fuego / Classificação de Fogo
Bfl - S1 (EN 13501)

Slip resistance
Coefficiente dinamico di attrito / Coeficiente de fricción / Coeficiente de atrito
DS - R10 (EN 13893 - DIN 51130)

Underfloor heating
Riscaldamento a pavimento / Calefacción por suelo radiante / Aquecimento por piso radiante
Suitable (see: Underfloor Heating Guidelines)

Electrostatic performance
Performance elettrostatica / Rendimiento antiestático / Acumulação de cargas eletrostáticas
≤ 5 kV (EN 1815)

Thermal resistance
Resistenza al calore / Aislamiento térmico / Isolamento térmico
0.066 m^2-K/W (EN 12667)

Technical specifications (FI - SV - NO - DK)

Level of use
Käyttöluokka / Klassificering användningsområde / Bruksklasse / Anvendelsesgrad
Class 23 / 33 (EN ISO 10874)

Geometrical characteristics
Geometriset ominaisuudet / Geometrisk karakteristik / Geometriske kjennetegn / Geometriske egenskaber
Conform (EN 17539)

Wear resistance
Kulutuksenkesto / Slitstyrka / Slitestyrke / Slidstyrke
Pass 5000 cycles (ISO 24338)

Castor chair resistance
Pyörällisen toimistotuolin kesto / Tålighet mot rullhjul / Motstandsdyktighet / Modstandsdygtighed over for hjulstol
Pass 25 000 cycles (ISO 4918)

Effect of furniture leg
Huonekalun jalkojen kesto / Verkan från möbelben / Effekt møbelbein / Virkning af møbelben
No visible change (EN 16581)

Residual indentation
Jäännöspainuma / Beständighet mot intrycksmärken / Motstandsdyktighet mottrykkmerker / Resterende indtryk
≤ 0.10 mm (EN ISO 24343-1)

Resistance to staining
Tahraantumisenkesto / Fläckbeständighet / Motstandsdyktighet mot flekker / Modstandsdygtighed over for pletter
5 (no visible change) (EN 438-2)

Locking strength
Lukituksen vahvuus / Låsningsstyrka / Låsestabilitet / Låsningsstyrke
LS ≥ 2.0 / SS ≥ 3.5 (EN 24334)

Dimensional stability
Mittavakaus / Dimensionsstabilitet vid värmepåverkan / Formstabilitet / Dimensionel stabilitet
Pass ≤ 0.25% (EN ISO 23999)

Colour fastness to light
Valonkesto / Färghärdighet / Lysfasthet / Låsningsstyrke
> grade 6 (EN ISO 105-B-02)

Impact sound reduction
Askeläänen parannusarvo / Ljudisolering / Akustisk isolasjon (lydisolering) / Reduktion af stødlyd
ΔL_w = 20 dB (ISO 10140-3 / EN 717-2)
ΔL_{LIN} = 10 dB (ISO 10140-3 / EN 717-1)

Formaldehyde emission class
Formaldehydiluokka / Formaldehydemission / Formaldehyd emisjonsgruppe / Formaldehydemissionsklasse
E1 (EN 717-1)

Fire classification
Paloluokka / Flamsäkerhet / Brannklasse / Brandklassificering
Bfl - S1 (EN 13501)

Slip resistance
Kitka / Halksäkerhet / Sklimotstand / Skridsikkerhed
DS - R10 (EN 13893 - DIN 51130)

Underfloor heating
Lattialämmitys / Värmegolv / Gulvvarme /Gulvvarme
Suitable (see: Underfloor Heating Guidelines)

Electrostatic performance
Sähköstaattinen varautuminen / Prestanda statisk elektricitet / Elektrostatisk ytelse (antistatisk) / Elektrostatisk ydeevne
≤ 5 kV (EN 1815)

Thermal resistance
Lämmönvastus / Värmemotstånd / Varmebestandighet / Termisk modstandsdygtighed
0.066 m^2-K/W (EN 12667)

Technical specifications (SK - PL - RU - HU - CZ - LT)

Level of use
Úroveň použitia / Klasa ścieralności / Класс спользования / Európai besorolás / Úroveň použití / Atsparumo klasė
Class 23 / 33 (EN ISO 10874)

Geometrical characteristics
Geometrické parametre / Charakterystyka Geometryczna / геометрические характеристики / Geometriai jellemző / Rozměry / Geometrinės savybės
Conform (EN 17539)

Wear resistance
Odolnosť voči opotrebeniu / Wytrzymałość na zużycie / износостойкость / Kopásállóság / Odolnost proti opotřebení / Atsparumas dilimui
Pass 5000 cycles (ISO 24338)

Castor chair resistance
Odolnosť voči kolieskam na stoličke / Odporność na krzesła obrotowe z kółkami / Стойкость к креслам с роликами / Görgős szék teszt / Odolnost vůči kolečkovým židlím / Atsparumas kėdžių ratukams
Pass 25 000 cycles (ISO 4918)

Effect of furniture leg
Efekt z nôh nábytku / Wpływ nogi meblowej / воздействие мебельных ножек / Bútorlábhatás / Vliv nábytkové nožky / Baldų poveikis
No visible change (EN 16581)

Residual indentation
Trvalá deformácia / Pozostałe wgniecenie / остаточные вмятины / Megmaradó benyomódás / Trvalá deformace / Likęs įdubimas
≤ 0.10 mm (EN ISO 24343-1)

Resistance to staining
Odolnosť voči napúšťaniu farbou / Odporność na barwienie / устойчивость к пятнообразованию / Foltállóság / Odolnost proti vzniku skvrn / Atsparumas dėmėms
5 (no visible change) (EN 438-2)

Locking strength
Pevnosť pripojenia / Wytrzymałość blokowania / прочность крепления / Záróerő / Pevnostzajištění / Blokavimo jėga
LS ≥ 2.0 / SS ≥ 3.5 (EN 24334)

Dimensional stability
Rozmerová stabilita / Stabilność wymiarowa / Стабильность размеров / Méretstabilitás / Rozměrová stabilita / Matmenų stabilumas
Pass ≤ 0.25% (EN ISO 23999)

Colour fastness to light
Stálosť farby na svetle / Odporność koloru na światło / устойчивость окраски к свету / Színtartósság / Stálobarevnost na světle / Spalvų atsparumas šviesa
> grade 6 (EN ISO 105-B-02)

Impact sound reduction
Akustická izolácia / Izolacja akustyczna Звукоизоляция / Hangszigetelés / Akustická izolace / Garso slopinimas
ΔL_w = 20 dB (ISO 10140-3 / EN 717-2)
ΔL_{LIN} = 10 dB (ISO 10140-3 / EN 717-1)

Formaldehyde emission class
Formaldehydová skupina / Emisja formaldehydu / Класс эмиссии формальдегида / Formaldehyd csoport / Formaldehydová skupina / Formaldehyde group
E1 (EN 717-1)

Fire classification
Klasifikácia voči požiaru / klasyfikacja ogniowa / класс огнестойкости / Tűzállósági osztály / Požární klasifikace / Degumo klasifikacija
Bfl - S1 (EN 13501)

Slip resistance
Protišmykovosť / Śliskość / Стойкость к скольжению / Csúszásmentes / Protiskluznost / Slidumo klasė
DS - R10 (EN 13893 - DIN 51130)

Underfloor heating
Podlahové vykurovanie / Ogrzewanie podłogowe / Полы с подогревом / Padlófűtésre / Podlahové vykurování / Šildomos grindys
Suitable (see: Underfloor Heating Guidelines)

Electrostatic performance
Elektrostatické prevedenie / Akumulacja ładunków elektrostatycznych / Электростатичность / Elektromos feltöltődés / Elektrostatické provedení / Antistatiškumas
≤ 5 kV (EN 1815)

Thermal resistance
Tepelná odolnosť / Odporność cieplna / термостойкость / Hőállóság / Teplotní odolnost / Terminis atsparumas
0.066 m^2-K/W (EN 12667)



Forest VV579 0H806 368

It’s in our core to adore nature

Our commitments

Choose me once, love me for life
We believe in a world where things last! For a lifetime, and longer. That’s good for you, and also for the planet. So our products carry a lifetime guarantee for domestic use, and a 10-year guarantee for commercial use.

Breathe healthy air
The GreenGuard Gold certification is recognised as one of the most stringent in the world, going beyond the A+ rating for indoor air quality. This means that your floor contributes to the healthiest environment for working and living, and protects the most sensitive people.

Sustainable cork underlay
Cork is a highly durable material. It retains its natural springiness even after years of use, while woods planted with cork oak reduce CO_2 emissions.

We can prove it
Don’t take our word for it, look at the proof! Coretec® meets the standards for numerous quality labels and certificates. Our floors are free of heavy metals (such as lead) and phthalates.

Second Life
So you’re changing your floor? Why not give the old Coretec® floor a second life! You can gift your old floor via Second Life Floors. Because your old floor is perfectly fine to start a new story in a new location.

Do your bit for forest conservation
There is no wood in a Coretec® floor. So no trees are cut down to make your home beautiful. More than that: we are active in forest conservation, worldwide.

Coretec®



Coretec® floors are that good, somebody else can re-enjoy it.

Learn how your Coretec® floor gets a second life.

We collect
your existing Coretec® floor after your request

We clean
your floor with Coretec® biological cleaning products at a business who employs people with complex barriers to work



2ND life
you help us lay the foundations to a more durable world

New purpose
your Coretec® floor gets a new purpose in a non-profit organisation or other charity



Coretec®, the natural choice

Lifetime warranty residential

10 YEARS
10 year warranty commercial

Warranty (Years) The warranty covers manufacturing defects and premature wear in the event of normal use.
Garanzia (anni) La garanzia copre i difetti di produzione e usura prematura in caso di corretto e normale utilizzo.
Garantía (años) La garantía cubre los defectos de fabricación y el desgaste prematuro en caso de uso normal.
Garantia (anos) A garantia cobre defeitos industriais e uso prematuro usado normal.
Takuu (vuosi) Takuu kattaa valmistusvirheet ja normaalista käytöstä johtuvan pinnan puhkikulumisen.
Garanti (år) Garantien gjelder mot produksjonsfeil, og for tidlig slitasje ved normalt bruk av gulvet.
Garanti (år) Garantin gäller tillverkningsfel och för tidig utslitning vid normalt användande.
Garanti (år) Garantien gælder for fabrikationsfejl og for tidlig slid ved normal brug.
Záruka (rok) Záruka sa vzťahuje na výrobné chyby a predčasné opotrebenie v prípade bežného používania.
Termin gwarancji (rok) Gwarancja obejmuje wadyfabryczne i przedwczesne zużycie w przypadku normalnego użytkowania.
Гарантия (лет) Гарантия покрывает производственные дефекты и преждевременный износ при нормальном использовании.
A garancia gyártási hibákra és idő előtti elhasználódásra általános használatnál érvényes.
Záruka (rok) Záruka se vztahuje na vady z výroby a předčasné opotřebení v případě běžného používaní.
Garantija (Metai) Garantija taikoma gamybos trūkumams ir per greitam nusidėvėjimui eksploatuojant normaliomis sąlygomis

Coretec

Souverainestraat 27 - 9770 Kruisem (Belgium)
info@usfloors.be - www.coretecfloors.com

US FLOORS INTERNATIONAL BV, A PROUD DIVISION OF Shaw INDUSTRIES

06-2026 / EN-INTL - PS313 00094 368 / The flooring in this document is reproduced as accurately as achievable by printing techniques. Information in this document is subject to change. Value: €2,50